


TECNIS® 1-Piece Aspheric IOL Hydrophobic Acrylic





Model: ZCB00

DESCRIPTION	
OPTIC CHARACTERISTICS	
Powers:	+5.0 D to +34.0 D in 0.5 diopter increments
Diameter:	6.0 mm
Shape:	Biconvex, anterior aspheric surface, square optic edge
Material:	UV-blocking hydrophobic acrylic
Refractive Index:	1.47 at 35°C
Edge Design:	ProTEC frosted, continuous 360° posterior square edge
OPTICAL BIOMETRY*	
A-Constant (SRK/T):	119.3
AC Depth (HofferQ):	5.7 mm
Surgeon Factor (Holl.):1	1.96 mm
APPLANATION ULTRASOUND BIOMET	RY
A-Constant:†	118.8
Theoretical AC Depth:	5.4 mm
Surgeon Factor:1	1.68 mm
HAPTIC CHARACTERISTICS	
Overall Diameter:	13.0 mm
Style:	С
Material:	UV-blocking hydrophobic acrylic
Design:	Tri-Fix, Haptics offset from optics, 1-piece lens

TECNIS* 1-piece lenses are indicated for the visual correction of aphakia in adult patients in whom a cataractous lens has been removed by extracapsular cataract extraction. These devices are intended to be placed in the capsular bag. For a complete listing of precautions, warnings, and adverse events, refer to the package insert. Rx only.

TECNIS, ProTEC and UNFOLDER are trademarks owned by or licensed to Abbott Medical Optics Inc., its subsidiaries or affiliates. ©2017 Abbott Medical Optics Inc., Santa Ana, CA 92705

PP2017CT1628

^{*}Derived from clinical evaluation results of the 1-Piece IOL Platform for optical biometry.

[†]A-Constant theoretically derived for ultrasound biometry.

^{1.} Holladay JT. International Intraocular Lens & Implant Registry 2003. J Cataract Refract Surg. 2003; 29:176-197. REF2016CT0151.